

SURVEY QUESTIONS:

1. What is your area of specialization?
 - a. Psychiatry
 - b. Family Medicine
 - c. Internal Medicine
 - d. Pediatrics
 - e. Other _____

2. How many patients do you see on average per week?
 - a. 0-50
 - b. 50-100
 - c. 100-150
 - d. 150-200
 - e. Other _____

3. How many patients with ADHD do you see on average per week?
 - a. 0-10
 - b. 10-20
 - c. 20-30
 - d. 40-50
 - e. Other _____

4. What percentage of adult ADHD patients of the following age groups do you most commonly treat?
 - a. Age 18-45 years old _____
 - b. Age 46-65 years old _____
 - c. Age > 65 years old _____

5. Have you noticed any change over the past year in the number of diagnosed ADHD patients that you, see?
 - a. Decrease in the last year
 - b. Increase in the last year
 - c. No change

6. Have you noticed a difference in the number of patients with ADHD seen post pandemic versus pre-pandemic?
 - a. Fewer patients with ADHD post pandemic
 - b. More patients with ADHD post pandemic
 - c. No change

7. What percentage of patients are optimized on stimulants only, stimulants with nonstimulants and nonstimulants only?
 - a. Stimulants only _____
 - b. Stimulants with nonstimulants _____
 - c. Nonstimulants only _____

8. Do you always start ADHD treatment with a stimulant medication at first?
 - a. Yes
 - b. No
 - c. Depends (explain) _____

9. What percentage of the following subtypes of ADHD do you typically see when you diagnose a patient with ADHD?
 - a. Predominantly inattentive presentation _____
 - b. Predominantly hyperactive/impulsive presentation _____
 - c. Combined presentation _____

10. Rank the following attributes in order of their importance when considering a treatment option for an ADHD patient: (1=most important, 10=least important)
 - a. Frequency of dosing
 - b. Route of administration
 - c. Safety profile
 - d. Efficacy profile
 - e. Contraindications
 - f. Concomitant use with other medications or therapies
 - g. All of the above
 - h. None of the above
 - i. Other _____

11. Rank the following medications in order of effectiveness for treating ADHD, based on your clinical experience: (1=most effective, 10=least effective)
 - a. Adderall XR (Amphetamine/Dextroamphetamine)
 - b. Concerta (Methylphenidate HCl)
 - c. Dexedrine (Dextroamphetamine)
 - d. Evekeo (Amphetamine sulfate)
 - e. Focalin XR (Dexmethylphenidate)
 - f. Quillivant XR (Methylphenidate HCl)
 - g. Ritalin (Methylphenidate HCl)
 - h. Strattera (Amoxetine)
 - i. Qelbree (Viloxazine)
 - j. Other _____

12. Rank the following side effects of ADHD medications from most bothersome to least bothersome, based on your clinical experience: (1=most bothersome, 10=least bothersome)

- a. Sleep problems
- b. Decreased appetite
- c. Delayed growth
- d. Headaches
- e. Stomach aches
- f. Rebound symptoms–irritability when the medication wears off
- g. Tics
- h. Moodiness
- i. Other _____

13. What are the most common causes of discontinuation of ADHD treatment, based on your clinical experience? (Mark all that apply)

- a. Treatment adherence and persistence
- b. Side-effect management
- c. Sociocultural factors contributing to understanding of ADHD
- d. None of the above
- e. Other _____

14. Which of the following barriers do you see when prescribing a medication for ADHD? (Select all that apply)

- a. Cost of medication for patients
- b. Abuse potential by patients
- c. Comorbid psychiatric disorders
- d. Compliance with medication
- e. Side effects of medication
- f. Other _____

15. What are the most pressing concerns that you hear from patients regarding ADHD? (Select all that apply)

- a. Patient/caretaker understanding of ADHD
- b. Side effects of medication
- c. Relapse chances
- d. Other _____