

MV SWITCHGEAR AND MV SERVICE

SwitchgearMD™

Asset health monitoring



SwitchgearMD[™] offers monitoring and diagnostic solutions for low and medium voltage switchgear and motor control centers. With 24x7 data availability and remote monitoring capability, SwitchgearMD adds value through reduced total cost of ownership and enhanced personnel safety.

Asset health monitoring of critical assets within the electrical distribution network provides end users with peace of mind that the equipment will perform as required, when required. It is also used to proactively maintain equipment only when needed, reducing maintenance costs and operator exposure to energized equipment.

SwitchgearMD switchgear temperature and partial discharge monitoring is available for low voltage and medium voltage switchgear and Motor Control Center (MCC) products with the following sensor packages:

- Wireless solution for temperature and PD monitoring
 - SAW sensors
 - UHF measurements
- Wired solution for temperature monitoring
 - IR sensors
 - Thermistor sensors for LV MCCs
- Wired solution for humidity monitoring

SwitchgearMD is available for new switchgear, as well as for retrofit applications.

IR: Infrared temperature sensing system

- IR sensors have a non-conductive plastic body
- · Sensors do not require external power
- Sensors provide rise over ambient (△T) reading
- · Sensors have lifetime calibration
- Sensors are UL recognized and CE certified

SAW: Surface Acoustic Wave temperature sensing system

- SAW temperature sensors are wireless passive components directly coupled to the conductors
- · No battery or power source required
- Equipped with quartz (piezoelectric) material that contracts/expands when subjected to change in temperature

PD monitoring


- UHF (300 MHz to 3 GHz) measurements
- Detects extent of PD activity above a set threshold

01 Infrared (IR) sensor

02 Surface Acoustic Wave (SAW) sensor

03 Location of SAW/ IR sensors and data collection equipment in MV metal-clad switchgear compartments

Connection to SCADA and other control systems is possible via Modbus communication protocol for alarms and data compilation. Using internet of things, services and people (IoTSP) infrastructure, sensor data can be converted into actionable intelligence. This enables maintenance personnel to safely identify and repair problems before equipment failures, reducing outage times and enhancing reliability.



02



03




ABB Inc. 655 Century Point Lake Mary, FL 32746

+1 407 732 2000 ext. 5 Phone:

+1 800 929 7947 ext. 5

customer.service.group@us.abb.com

ABB Inc.

Medium Voltage Service 2300 Mechanicsville Road Florence, South Carolina 29501 Phone: +1 800 HELP 365 (option 7)

+1 800 634 7643

The information contained in this document is for general information purposes only. While ABB strives to keep the information up to date and correct, it makes no representations or warranties of any kind, express or implied, about the completeness, accuracy, reliability, suitability or availability with respect to the information, products,

services, or related graphics contained in the document for any purpose. Any reliance placed on such information is therefore strictly at your own risk. ABB reserves the right to discontinue any product or service at any time.

© Copyright 2018 ABB. All rights reserved.