


THE NEW GENERATION OF PREMIUM PDO BOOSTER

All-in-One Brightening &
Collagen Regeneration Solution




REASONS I BECAME A KEY DOCTOR

- Science-driven innovation
- Consistent clinical outcomes
- Refine protocols
- Elevate patients results



CLINICAL NEEDS

Today's patients and clinicians increasingly value one effective procedure over multiple sessions.



SINGLE SOLUTIONS LIMITATIONS



HYDRATION

BIOSTIMULATION

ANTIOXIDANT

BRIGHTENING

No single regenerative skin booster integrates all key needs in one approach

STRENGTHS I EXPERIENCED

- Visible regenerative support, antioxidant action
- Consistent improvement in overall skin quality, including texture, radiance, and firmness over time



WHAT MAKES RENUVOL DIFFERENT?



HOW I USE RENUVOL



**PATIENT
ASSESSMENT &
INDICATION**



**SKIN
PREPARATION**



**STANDARDIZED
APPLICATION WITHIN
THE PROTOCOL**



**POST-PROCEDURE
GUIDANCE &
FOLLOW-UP PLAN**

**OUTCOME TRACKING
(Skin Quality, Texture,
Radiance)**

Practical Tips


- Careful patient selection
- Standardized workflow
- Clear post-treatment guidance
- Emphasize precautions and consistent
- Follow-up to support safety and predictability

Ideal Candidates

Scenario 1 (Preventive Bio-Stimulation)

Patient Profile: 32-year-old, early signs of photo aging, seeking preventive approach.

Approach: Multi-component formulation provides both immediate skin quality improvement and long term regenerative benefits. Quarterly maintenance may delay need for more invasive interventions.




Ideal Candidates

Scenario 2 (Moderate Photo-Aging)

Patient Profile: 48-year-old, moderate fine lines, texture irregularity, loss of radiance.

Approach: Initial series with multi-component formula to address hydration deficit while stimulating collagen remodeling. May combine with energy-based devices for comprehensive rejuvenation.





Ideal Candidates

Scenario 3 (Challenging-Areas)

Patient Profile: Neck décolletage, or dorsal hand aging with thin, crepey skin. lines, texture irregularity, loss of radiance.

Approach: Areas with limited fat and high photo-exposure benefit from bio-stimulation combined with antioxidant support. Combination formulations may offer advantages in these difficult-to-treat regions.



One Patient Multiple Effects

- Skin quality
- Radiance
- Hydration
- Texture
- Firmness







INJECTION TECHNIQUE CONSIDERATIONS

General principles for SKIN BOOSTER

- ANATOMICAL TARGETING
Superficial to mid-dermal placement using appropriate needle or cannula techniques. Depth adjusted based on treatment area and skin thickness



- **DISTRIBUTION STRATEGY**
Multiple small-volume injections (microaliquots) or linear threading to achieve even distribution. Common patterns: serial puncture, blanching technique, or retrograde linear threading.



- VOLUME PLANNING

Total volume/ area calculated based on surface area and treatments range from 2-4ml, distributed across multiple injection points



Case Overview

Monotherapy

- Skin quality
- Biostimulation
- Hydration
- Antioxidant effect



1

ENERGY DEVICES

Skin Boosters post-laser to support healing and enhance results

2

NEUROTOXINS

Complementary - toxins address dynamic and boost skin quality

3

DERMAL FILLERS

Restore volume, boosters enhance surrounding tissue quality

4

THREAD LIFTING

Mechanical support enhanced by tissue quality improvement

5

PEELS/ TOPICALS

Combined regeneration approach

WHAT TO BE CAREFUL WITH

- Active skin inflammation
- Compromised skin barrier
- Low tolerance for temporary post-procedure changes.

EVOLUTION OF SKIN BOOSTERS: FROM HYDRATION TO BIO-REGENERATION



HYDRATION FOCUS

Pure HA formulations designed primarily for tissue hydration and immediate volumizing effects through water-binding capacity

ENHANCED FORMULATIONS

Addition of vitamins, amino acids and antioxidants to HA base, targeting oxidative stress alongside hydration

BIO-STIMULATION ERA

Introduction of polynucleotides (PN/PDRN) to activate fibroblast activity and promote endogenous collagen synthesis

MULTI-MODAL REGENERATION

Synergistic combinations addressing hydration, antioxidant protection, bio-stimulation, and structural support simultaneously

FINAL TAKEAWAYS

- From a clinical perspective, this approach can be positioned as a regeneration-focused skin booster that supports antioxidant protection and skin quality improvement. It fits well into modern practice by offering a streamlined workflow, strong emphasis on safety, and the flexibility to be used as monotherapy or in combination protocols, aiming for both immediate visible benefits and more sustained skin-quality enhancement over time.



REFERENCES

Polynucleotides (PN/PDRN):

1. Kim SJ, Lee YW, Choe YB, Ahn KJ. Comparative efficacy of polynucleotide, polydeoxyribonucleotide, and hyaluronic acid in the rejuvenation of photoaged skin. *J Cosmet Laser Ther.* 2017;19(5):261–266. PMID: 28745408
2. Belletti S, Uggeri J, Gatti R. Polydeoxyribonucleotide promotes cyclobutane pyrimidine dimer repair in UVB-exposed dermal fibroblasts. *Photodermatol Photoimmunol Photomed.* 2007;23(5):242–249. PMID: 17803603
3. Squadrito F, Bitto A, Altavilla D, et al. The effect of PDRN on TGF- β 1 and its receptors in UVB-irradiated human dermal fibroblasts. *Arch Dermatol Res.* 2014;306(8):745–752. PMID: 24942146
4. Galeano M, Bitto A, Altavilla D, et al. Polydeoxyribonucleotide stimulates angiogenesis and wound healing in the genetically diabetic mouse. *Wound Repair Regen.* 2008;16(2):208–217. PMID: 18318806

REFERENCES

Vitamin C (Ascorbic Acid) in Skin:

1. Pullar JM, Carr AC, Vissers MCM. The roles of vitamin C in skin health. *Nutrients*. 2017;9(8):866. PMID: 29065496 | PMC: PMC5579659
2. Telang PS. Vitamin C in dermatology. *Indian Dermatol Online J*. 2013;4(2):143–146. PMID: 23741676 | PMC: PMC3673383
3. Pinnell SR. Cutaneous photodamage, oxidative stress, and topical antioxidant protection. *J Am Acad Dermatol*. 2003;48(1):1–19. PMID: 12522365

Hyaluronic Acid:

1. Papakonstantinou E, Roth M, Karakiulakis G. Hyaluronic acid: A key molecule in skin aging. *Dermatoendocrinol*. 2012;4(3):253-258. PMID: 23467476 | PMC: PMC3583886
2. Stern R, Maibach HI. Hyaluronan in skin: aspects of aging and its pharmacologic modulation. *Clin Dermatol*. 2008;26(2):106-122. PMID: 18472057

REFERENCES

General Skin Aging and Bio-Stimulation

1. Quan T, Fisher GJ. Role of age-associated alterations of the dermal extracellular matrix microenvironment in human skin aging: a mini-review. *Gerontology*. 2015;61(5):427-434. PMID: 25660807
2. Oranges T, Janson DG, Di Quattro R, et al. Skin physiology of the neonate and infant: clinical implications. *Adv Wound Care*. 2015;4(10):587-595. PMID: 26487978 | PMC: PMC4593878

Antioxidants in Dermatology:

1. Kohen R. Skin antioxidants: their role in aging and in oxidative stress--new approaches for their evaluation. *Biomed Pharmacother*. 1999;53(4):181-192. PMID: 10392289

REFERENCES

Note on Evidence Quality:

References listed represent PubMed/PMC-indexed peer-reviewed literature. Product-specific claims for RENUVOL or other branded formulations require manufacturer-provided clinical data and regulatory documentation. The references above support general mechanisms of individual components rather than specific multi-component formulations unless explicitly studied.

QUESTIONS & ANSWERS





THANK YOU